

State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

JUN 1 6 2014

High Capacity, School or Wastewater Treatment Plant Well Approval Application

Form 3300-256 (R 7/05)

Page 1 of 6

DRINKING WATER & GW

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

Applicant Information		Telephone the telephone of the contract of the			en e
Application Prepared By (Name ar		Company	•		
CASEU KEDROWISIC	i -SAles	Far	ERHS IRRIGA	tion	
Street Address		City	21112 - 11 (0)	State	ZIP Code
1500 POST RO		Flour	R,	WI	54467
Telephone Number	Fax Number		-Mail Address		
715-344-4747	715-344-45		,	940	Hornoil. Con
Property Ownership Information	on .			(100 - 100 A)	Washington and State of the Sta
Property owner, if different than app					
SchroEDER Bros, FA	ICHS-DAUE SCLANEN	en Sch	ROEDER Bros.	FARK	15
Street Address	111 (3 - Dille genine	City	DIDS.	State	ZIP Code
N5163 CRA		CAMBRI	065	21	53523
Telephone Number	Fax Number		Mail Address		0 3300
920-650-7387					
Well Operator Information		25:515 255 2655 6	Aviant waters	arakiki h	
Well operator if different than owner	· 表示: 1 · 1 · 1 · 1 · 1 · 1 · 1 · 1 · 1 · 1	Company		MARY ENGINEERS	
SAME	3)				
Street Address		City		State	ZIP Code
		1			
Telephone Number	Fax Number	l E-N	Mail Address	11	-
		F			
Property Information	N Harristana kanang miliata i	o transi na mana mana wa	tija i Vijaiji nasi II. Kingginia	医外侧皮上颌 皮	সংগ্রিক, ১,ইবাল্যের বেংইব্য ভ ^{ুত্র}
Enter the High Capacity Well File Num					
property at the time of application, ente	r "NONE." NOTE: Find the file nui	mber in upper right h	and corner of the most re	cent high o	capacity well approval,
or use the compact disk of departments Location" section. File number format	al well data that is issued to drillers is as follows: (1 or 2 digits for cour	s and pump installers ntv) - (1 digit for well (. On the compact disk, se classification) - (1 to 4 dia	e "File loc its for assi	ation" in red print in aned property no.).
County	Town		High Capacity W	ell File No),
Jefferson	MilforD/A	TALAN/FACULIA	Loal		
ubmittal Purpose		e (MC) MARAINA	ytoN	16,77797,3	1-1-6-6-1-4-2-6-2-6-2-6-2-6-2-6-2-6-2-6-2-6-2-6-2
Check all that apply:				1 21 240 244	
Install one or more new wells w	vith a capacity greater than 70	gallons per minute	î.		
Install one or more new wells w				riv	
Replace one or more wells with					
Replace one or more wells with	The project of a constant	ACC 1 ACC 40 ACC 10 ACC			
Reconstruct one or more wells					
Reconstruct one or more wells				odu	
Increase pumping rate in one or				orty.	
4				auted)	
Request continued operation of		inge in ownership.	(ио аррисаціон тее ге	quirea.)	
Renew a previous approval that					
Well (or wells) will serve a school Other, explain	or wastewater treatment plar	nt. See aetinitions	on page 5.		
Other, explain					

Si	ite S	latus Information
ar	nd th	nine the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers information supplied by the property owner. Internet address is dnr.wi.gov/org/water/dwg/dws.htm . Enter YES or NO for each collowing questions.
YE	ES	Has the property boundary changed since the most recent high capacity well approval was issued? If the property is not yet a high capacity property, check NO.
Г	7 [Has there been a change in well ownership since the last approval was written?
	j L	If YES, name of current owner: Date of purchase:
		Has there been a change in well operator since the last approval was written?
		If YES, name of current operator: Date of change:
		Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.
П		Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line,
-		also check the adjacent section or sections.
		If YES, list the landfill site ID Number: OR Landfill location: (Township/Range/Section)
	V	Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and
		Redevelopment Tracking System) Number here and specify if the site is open or closed:
	[7	
Ш	13	Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:
		/
	V	Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use restriction? See compact disk or internet at <a 5.<="" definitions="" href="mailto:mai</td></tr><tr><td></td><td>Ø</td><td>Is a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a " in="" on="" page="" public="" section="" system"="" td="" the="" water="">
	Ø	Is a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.
	回	Has the number of wells or pumping capacity in an existing well increased since the most recent high capacity well approval was issued?
	g	Has the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high capacity property, check NO.
	Ø	Is a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in use?
]	M	/ Will the well discharge directly to a storage pond?
	g	/ Is a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?
] [d	ls a proposed well within 1,200 feet of a quarry?
] [7	Is a proposed well located in a floodplain or floodway?
] [Are any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Administrative Code?
] [d,	Will the well be used as a source of bottled water?
	1	Are you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well
F		construction standards? s the property served by a community water system?

Existing Well Information		<u> </u>		*.									* · · · · · · · · · · · · · · · · · · ·
Enter the following information	on on a	liexist	ing v	vells o	n the	e property	, if m	nore th	an fo	our wells, sub	mit additio	nal sheets:	
Well Name Assigned by Well Ow (North Well, etc.):	1:	139	/\	10118	E								
Well Number Assigned by Owner (001, 002, etc.):	r						**						
WI Unique Well Number or NA if number:	no										· · · · · · · · · · · · · · · · · · ·		
Permanent DNR High Capacity W Number or N/A if none:	√eII												
Public Water System ID Number, Public (if not public, NONE):	if	·····									,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Potable or Non-Potable Use:					* <u></u>			<u> </u>					
Type of Well (Irrigation, Industrial, Residential, etc.):													
Requested Average Water Usage Day in Gallons:	рег										v elic Virene		
Requested Maximum Water Usage per Day in Gallons:	•												
Seasonal? (April to October, Year Around, etc.):							•						100-000-00-0
Approved Pumping Capacity if Previously Approved (gpm):						***************************************					·····		
Current Pump Type & Capacity (gp	m):							•					
Proposed Pump Type & Capacity If Change Requested (gpm):			•			······································	···				·····		
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):							· · · · ·						****
Discharge Location (Building Pressu Tank, Pond, etc.):	ıre												
Height of Well Casing Above Ground in Inches;	d .			*****		· · · · · · · · · · · · · · · · · · ·							
Potential Contaminant Sources and Distance:							•						1///
Well Loc: Quarter Quarter Tection	1-	1/4	of		1/4		4 of		1/4		F 4(4	1	
or Government Lot Numbe.	1		<u></u>		"-		401		1/4	- 1/40	f · 1/4	1/4	of 1/4
Section or French Long Lot No.	 				\dashv	······································			+			 	
Township:	1,								-1.	T			
Range (Select E or W):	T			N I =				<u> </u>		1	<u>,</u>	<u> T</u>	N
Latitude (Degrees and Minutes)	TR -	0	<u>L</u> l	ŒIJ	W R	0		TE [WI	R	<u> E W</u>	R	<u>LELW</u>
Longitude (Degrees and Minutes)	 	0	'_		7	0	 :		=-		<u></u>		
GPS Map Datum (WGS84, WTM91, etc.)			- '' -			Andrew Control			=		* 	= -	· · · · · · · · · · · · · · · · · · ·
Include as much of the following inform well construction record is attached, a	nation a pplican	as practi I may le	cal fo ave th	r wells ne follo	that wing	do not hav rows blanl	e wel k.	l const	uctio	on records ฮเเอ	her. ha	anolicioni, 40	wasar ii bia
Date of Construction:													
Drilled by (Name of Drilling Firm):						<u></u>			\perp				
Drilling Method(s) (Rotary, Percussion, Etc.)													
Well Depth in Feet:										.			
Upper Enlarged Drillhole Diameter in Inches and Depth in Feet:	ic	nches,		feet		inches,		fee	t	inches,	feet	iлches,	feet
Lower Drillhole Diameter in Inches and Depth in Feet:	jr	nches,		feet		inches,		fee		inches,	feet	inches,	feet
Well Casing Diameter in Inches and Depth के Feet:		iches,	·····- · /·_	feet		inches,		fee	1	inches,	feet	inches,	feet
Well Casing Material and Wall Thickness:												,,,,,,,, ₀	1001
Annular Space Material Between Casing and Drillhole Wall:									İ		d) mayon and an		
Is There a Well Screen (Y or N) If so, Screen Material?:						****					ĺ		

Proposed Well Information						<u> </u>	1-
Enter the following information on	all proposed wells on the property, if more than h	wo wells	or alternate co	nstruc	tion, submit	additional sh	reets:
Well Name Assigned by Well Owne (North Well, etc.):							
Well Number Assigned by Owner (001, 002, etc.):							
Well Loc: Quarter Quarter Section of French Long Lot Number	SE 1/4 of NW 1/4 of Section 8		1/4	of	1/4 o	f Section	
or Government Lot Number							<u></u>
Township & Range (Select E or		<u> </u>			l, R	LE	<u> </u>
Latitude (Degrees and Minutes)	43 0 05.383			D			·····
Longitude (Degrees and Minutes	5) <u>088</u> ° <u>52.585</u>			<u> </u>	·	·	
GPS Map Datum (WGS84, WTM91, etc.)	GOOGLE EARTH						
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: TRRIGATION Potable Non-Po		ype:			Potabl Non-P	le otable
Drilling Method(s) (Rotary, Percussion, Etc.):	DUAL ROTARY						
Anticipated Geological Materials and	Depths that Are Expected During Drilling:						
Material and Depth Interval:	Clay + Gravel from 0' to	17.			from	0' to	
Material and Depth Interval:	CIMEROCK from 12 to 65	<u> </u>			from	' to	
Material and Depth Interval:	SANDSTONE from 65' to 14	15			from	' to	
Material and Depth Interval:	Limeroux from 145 to 185	- ,			from	' to	
Material and Depth Interval:	Sansstone + Constantion 185 1 to 500	0			from	' lo	
Drillhole Diameter and Anticipated D	<u> </u>						
Diameter and Depth Interval:	16" from 0 ' to \$7	500			from	' to	1
Diameter and Depth Interval:	from ' to				from	' to	
Diameter and Depth Interval:	from ' to	<u>'</u>			from	' to	
	and Wall Thickness at Anticipated Depth Intervals:						
Diameter and Wall Thickness at Depth Interval:	16 "diam/ 375" thick 0' to 4	0 '	" diam/		" thíck	0 ' to	
Diameter and Wall Thickness at Depth Interval:	" diam/ " thick ' to		" diam/		" thick	¹ to	1
Permanent Casing or Liner Material,	If Used:						
Casing Joints (Welded, T and C, etc.)	WELDED						
Material and Weight at Depth Interval:	CEHERT GROWT 1 lbs/foot 0' to 40	0		1	lbs/foot	0 ' to	
Material and Weight		,		1	lbs/foot	' to	1
at Depth Interval: Screen Material, Slot Size in Inches	/ lbs/toot to						
and Depth interval or N/A if none:	/ "} ' to	- 1			*/	' to	
Casing to Screen Joint (Welded, T		-					
and C, K Packer, etc.) Annular Space Material Including Filts	er Pack Material, If Used:						
Material and Depth Interval:	/ 0' to					0' to	
Material and Depth Interval:	/ ' to				1	' to	1
Proposed Average Water Usage Per Day in Gallons:	576,000						
Proposed Maximum Water Usage Per							
Day in Gallons: Seasonal? (April to October, Year Around, etc.):	1,152,000 April - Oct					774	
Proposed Pump Type & Capacity (gpm):	TURBINE 800 gpm						
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	OVERTOP						
Discharge Location (Building Pressure Tank, Pond, etc.):	IRRIGATION PIPE						
Distance and Direction to Nearest Public Utility Well & Well Name:	MilfORD 1.5 MILES NE						
Distance to Other Potential Contamin ant Sources:	1 Miles II S EMILE 142						
Distance to Other Potential Contamin ant Sources:							
Leave Blank, for Department use only		-					

Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
 - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
 - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; properly boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- 3. Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- 6. If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction,
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print	Check Box	
_ CASEY KEDROWSKI	Owner	Agent of the Owner
Signature Killed	Company KOBERTS IRRIGATION	Date 6-12-14
Application submittal. Mall completed application ar Section - DG/2, PO Box 7921, Madison WI 53707-7	d payment with all required attachments to DNR Pri	vate Water Systems
Definitions from Wisconsin Administrative Codes		

"High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]

"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]

AZTALAN SOUTHMILFORD WEST FARMINGTON Robert W & Mary A & Nielsen N A Q HOOPERS MILFORD MILL 14 FARMING 82.81 Q Proposen -Philip G & Susan M 95.68 Wesa Cochhon JOHNSON 138.35 112 16 CREEK 18 B 13 AZTALAN etal L 78.43 LAKE Jay M. & Sharon L Wiedenfeld, etal 100.35 MILLS 30 AZTALAN N6100 PAGE STATE N PAGE 10.05 PARK Robert F. Strauss SEE Spangler Bros. Inc Paul J K 8 Mary J K 98 06 19 Kristapovici (26)158 17 Keith R. & Clyde W Oestreich 21 23 24 BICENTENIAL PARK 490.48 N5700 Curtis W & Helen M Manstie 29 26 27 30 Dennis J Stilling DRUMEN Keule Carol E. Gross (89) 317.61 STATE 189.33 40 JEFFERSON' 140 62 Donald R. Schultz G Ronald J 154.82 N 5 & Susan C Pitzner 32 Ronald J. 34 385.08 JEF, ERSØN Ronald J. & Susan C. 7 19 Pitzne Q 46.5 **JEFFERSON** (89)78 76 105 2001 Rockford Map Publs., Inc. SEE PAGE 17 Jefferson County, WI W7300 W6900 W6500 W6100 W5700 W5300 W4900

WEIS EXCAVATING INC.

Specializing in:

Basement Excavation • Driveway Construction • Grading • All Types Of Septic Systems

Also affiliated with Weis Excavating Inc. is TCS (Technical Consulting Services, Inc.)

TCS Inc. offers additional expertise in:
Soil Testing • Septic Inspections • Well Inspections • Water Sampling • General Consultation In Sanitary Issues

Call: (920) 699-WEIS (9347)

or contact us by Fax: (920) 699-FAXX (3299) or via E-Mail: weis@jefnet.com

P.O. BOX 340 · JOHNSON CREEK, WISCONSIN 53038

Dale A. Weis, Owner/President Certification #220889 • MPRS/CSTM

